

Bibliografía

07/12/2018

1. Edmond K, Clark A, Korczak VS, Sanderson C, Griffiths UK, Rudan I. Global and regional risk of disabling sequelae from bacterial meningitis: a systematic review and meta-analysis. *Lancet Infect Dis*. 2010;10:317-28.
2. Watt JP, Wolfson LJ, O'Brien KL, Henkle E, Deloria-Knoll M, McCall N, et al. Burden of disease caused by *Haemophilus influenzae* type b in children younger than 5 years: global estimates. *Lancet*. 2009;374:903-11.
3. Galil K, Singleton R, Levine OS, Fitzgerald MA, Bulkow L, Getty M, et al. Reemergence of invasive *Haemophilus influenzae* type b disease in a well-vaccinated population in remote Alaska. *J Infect Dis*. 1999;179:101-6.
4. World Health Organization. Estimated Hib and pneumococcal deaths for children under 5 years of age. 2008. (Consultado en marzo de 2018.) Disponible en: http://www.who.int/immunization/monitoring_surveillance/burden/estimates/Pneumo_hib/en/
5. Rudan I, Boschi-Pinto C, Biloglav Z, Mulholland K, Campbell H. Epidemiology and etiology of childhood pneumonia. *Bull World Health Organ*. 2008;86:408-16.
6. World Health Organization. Measuring impact of *Streptococcus pneumoniae* and *Haemophilus influenzae* type b conjugate vaccination. *Immunization, Vaccines and Biologicals*. 2011;10:477.
7. Howie SRC, Antonio M, Akisanya A, Sambou S, Hakeem I, Secka O, et al. Re-emergence of *Haemophilus influenzae* type b (Hib) disease in the Gambia following successful elimination with conjugate Hib vaccine. *Vaccine*. 2007;25:6305-9.

8. European Centre for Disease Prevention and Control. Annual epidemiological report for 2015 *Haemophilus influenzae*. Surveill Rep. 2018;(January):1-9.
9. Centro Nacional de Epidemiología. Enfermedad invasiva por *Haemophilus influenzae* en España. Sistema de Información Microbiológica. Años 1993-2008. Bol Epidemiol Sem. 2009;17:73-84.
10. Pachón I, Muñoz A, Tormo A, Amela C, Martín P, Villota J. Estudio de incidencia de enfermedad invasiva por *Haemophilus influenzae* en España. Bol Epidemiol Sem. 1998;6:49-52.
11. Centro Nacional de Epidemiología. CIBER de Epidemiología y Salud Pública. Instituto de Salud Carlos III. Resultados de la vigilancia epidemiológica de las enfermedades transmisibles. Informe Anual 2015. Madrid; 2017.
12. Whittaker R, Economopoulou A, Dias JG, Bancroft E, Ramliden M, Celentano LP. Epidemiology of invasive *Haemophilus influenzae* disease, Europe, 2007-2014. Emerg Infect Dis J. 2017;23:396.
13. World Health Organization. *Haemophilus influenzae* type B (Hib) vaccination position paper July 2013. Wkly Epidemiol Rec. 2013;39:413-28.
14. Ladhani S, Neely F, Heath PT, Nazareth B, Roberts R, Slack MP, et al. Recommendations for the prevention of secondary *Haemophilus influenzae* type b (Hib) disease. J Infect. 2009;58:3-14.
15. Briere EC, Rubin L, Moro PL, Cohn A, Clark T, MESSONNIER N. Prevention and control of *Haemophilus influenzae* type b disease: recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR Recomm Rep. 2014;63(RR-01):1-14.

16. World Health Organization. Information sheet. Observed rate of vaccine reactions. Haemophilus influenzae type B (Hib) vaccine. Geneva; 2012. (Consultado en marzo de 2018.) Disponible en: http://www.who.int/vaccine_safety/initiative/tools/HiB_Vaccine_rates_information_sheet.pdf