

Intercambiabilidad de vacunas antimeningocócicas tetravalentes conjugadas en recuerdos

26/08/2014

Respuesta del Experto a ...

Intercambiabilidad de vacunas antimeningocócicas tetravalentes conjugadas en recuerdos

Pregunta

Quisiera saber si tienen información acerca de la necesidad de reforzar con Menactra a partir de los 9 meses a quienes tienen esquema primario completo con Menveo. Muchas gracias.

Respuesta de José Antonio Navarro (26 de Agosto de 2014)

Suponemos que se refiere a adolescentes y al recuerdo a recibir años más tarde. La bibliografía actual refiere únicamente la aceptabilidad de una pauta de primovacunación con Menactra y revacunación con Menveo, pero no a la inversa, aunque el ACIP norteamericano dice que los sanitarios debe de aprovechar cualquier oportunidad para proporcionar la dosis booster cuando esté indicada, independientemente de la vacuna utilizada en dosi/s previa/s (1).

Referencias

1. Centers for Disease Control and Prevention. Licensure of a Meningococcal Conjugate Vaccine for Children Aged 2 Through 10 Years and Updated Booster Dose Guidance for Adolescents and Other Persons at Increased Risk for Meningococcal Disease – Advisory Committee on Immunization Practices (ACIP), 2011. MMWR 2011;60:1018-1020.

